

regulus:

The best line up!



regulus




REGULUS IS THE WORLD CHAMPION FOR IRRIGATION CONTROL!

With **REGULUS** is always possible to manage and program the irrigation at any time and from any place, by adding the optional Wi-Fi module and downloading the **REGULUS** App on your mobile phone.



- ▶ **Key Switch:**
Quick irrigation start via key switch



- ▶ **Sector Scout:**
The Sector Scout ensures that there is no double irrigation and that all sectors are uniformly supplied with water.



- ▶ Now available indoor and outdoor version



MAIN FEATURES

- From 4 to 16 stations
- 8 independent irrigation programs with 6 start times each
- IoT WiFi ready
- Complete programming and operation via mobile APP possible
- Permanent memory
- Seasonal adjustment from 0 – 200 % by water budget function
- Watering calendar: Day of the week selection per program
- Up to 2 stations can be controlled at the same time with 2 programs
- All programs can be started directly via key switch
- Automatic, semi-automatic and manual start

TECHNICAL DATA

- User-selectable language (Italian, English, French, Polish and German)
- The “Super Cap” option provides back up power for maintaining the current time and date in the event of a power cut for more than 24 hours (no batteries needed)
- All sensors can be managed in 5 different modes including key switch
- Programmable rain delay between stations (from 1 sec to 2 min)
- Sector Scout function: - Including for Perrot VP3 SC sprinklers for all installed stations
- Parallel operation of two VP3 SC possible
- Automatic position calibration of one or all stations possible

ELECTRONICS

- Absorbed power: 220 VAC, 50 Hz;
- Power output: max. per station: 24 VAC (0.5 A); Max. Total (including MV control): 24 VAC (1.0 A)
- Operating temperature: from -10° C to 60° C

DIMENSIONS

- 186 mm x 140 mm x 67 mm (W x H x D)
- Weight: 1.5 kg

Here is our complete range: below you will find the codes which will help you for your orders... with **REGULUS** success is guaranteed!

regulus

PRODUCT	CODE	DESCRIPTION
	SG50400	Regulus, 4 station indoor controller with external 220 VAC transformer
	SB50401	4-station expansion module for Regulus
	SG50409	Regulus, 4 station outdoor controller with internal transformer 230 VAC
	SB50402	Wi-Fi module for Regulus
	SB50404	Outdoor housing for Regulus with internal transformer 230 VAC



www.perrot.de

PERROT - IndustriestraBe 19-29 - 75382 Althengstett/Germania
phone +49 (0) 7051/162-0 - fax +49 (0)7051/162-133 - mail perrot@perrot.de